

(19) World Intellectual Property  
Organization  
International Bureau



(43) International Publication Date  
7 July 2005 (07.07.2005)

PCT

(10) International Publication Number  
**WO 2005/060400 A2**

(51) International Patent Classification: Not classified

(21) International Application Number:  
PCT/US2004/003074

(22) International Filing Date: 4 February 2004 (04.02.2004)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
60/529,780 15 December 2003 (15.12.2003) US

(71) Applicant (for all designated States except US): **THE TRUSTEES OF COLUMBIA UNIVERSITY IN THE CITY OF NEW YORK** [US/US]; 110 Low Memorial Library, 535 West 116 Street, New York, NY 10027 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **PAPAGEORGIU,**

**Anargyros** [GR/US]; 560 Riverside Drive, Apt 2B, New York, NY 10027 (US). **JAKSCH, Peter** [SE/SE]; Luntgatan 14, S-602 19 Norrköping (SE).

(74) Agent: **WALPERT, Gary, A.**; Hale and Dorr LLP, 300 Park Avenue, New York, NY 10022 (US).


(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH,

[Continued on next page]

(54) Title: FAST QUANTUM MECHANICAL INITIAL STATE APPROXIMATION

(57) Abstract: A system and method efficiently prepare the initial state of  $q$  quantum computer required by the eigenvalue approximation method of Abrams and Lloyd. The system and method can be applied when solving continuous Hermitian eigenproblems, e.g. the Schrödinger equation, on a discrete grid, and allows for efficient calculation of their eigenvalues with quantum computers. A system and method efficiently prepare an approximate initial state (not limited to eigenvectors) of a quantum computer required by a quantum algorithm as input.



WO 2005/060400 A2



GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

**Published:**

— *without international search report and to be republished upon receipt of that report*

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*